

BP-900A -CE

RECHARGEABLE LITHIUM-ION BATTERY



The BP-900A is a rechargeable lithium-ion battery designed for exclusive use with the conference units TS-801, TS-802, TS-901, and TS-902.


Key features

- Designed for use with the Chairman/Delegate Units
- Nominal Voltage: 7.2 VDC
- Weight: 95 g

Specifications

Nominal Voltage	7.2 V DC
Capacity	2100 mAh
Operating Temperature	0 # to +40 # (32 # to 104 #)
Operating Humidity	90 %RH or less (no condensation)
Dimensions	71.6 (W) x 20.5 (H) x 37.5 (D) mm (2.82" x 0.81" x 1.48")
Weight	95 g (0.21 lb)

Dimensions



Note: Be sure to fully charge the battery before use.
Be sure to use the BC-900 or BC-920 charger with an exclusive charging function (option) when recharging the batteries.

UNIT:mm

A&E specifications

Lithium-ion battery shall be rechargeable and supply DC power to a TOA's infrared wireless conference unit. Nominal voltage:

7.2 VDimensions (W x H x D): 71.6 x 20.5 x 37.5 mm (2.82" x 0.81" x 1.48")Weight: 95 g (0.21 lb.)

The infrared wireless conference unit shall be the TOA model TS-821, TS-822, TS-921 or TS-922.Associated Product: BC-900 battery charger manufactured by TOA Corporation

Manufacturer: TOAModel: BP-900A