N-8011MS Y

MASTER STATION



This Master Station is designed to connect to the IP Intercom Exchange, and provides hands-free conversation of high sound quality. With its space-saving design, this Master Station features the same functions as the Standard Master Station. This station can be mounted to the wall using an optional YC-290 wall mounting bracket.

Key features


- Space saving design
- Hands-free conversation
- High sound quality
- Status LED

Specifications

* 0 dB = 1 V

Power Source	48 V DC (supplied from the IP intercom exchange (option))
Power Consumption	1.8 W (at rated), 2.4 W (max.)
Wiring Method	1 set of twisted pair cable
Transmission System	2 wire 160 kbps echo canceller transmission system
Signal Level	Under 0 dB*
Speech Method	Hands-free conversation
Audio Frequency Range	300 Hz - 7 kHz
Transmission Range	Max. 1500 m (#0.65 mm, Loop resistance 170 Ω)
Hands-free	Speaker: 5.7 cm cone-type, 0.6 W, 8 Ω Microphone: Omni-directional electret condenser microphone
Indicator	Status lamp
Line Connecting Terminal	RJ11 modular jack
Installation Method	Desk/Surface mounted master station (When mounting to the wall, use the optional YC-290.)
Operating Temperature	0 °C to +40 °C (32 °F to 104 °F)
Operating Humidity	Under 90 % RH (no condensation)
Finish	Body: ABS resin, gray
Dimensions	92 (W) x 195 (H) x 56.1 (D) mm
Weight	400 g
Included Accessories	Connection cord (3 m) …1
Optional Accessories	Wall mounting bracket: YC-290

Dimensions



Top View






Figure of the desktop installation


(scale: 1/5)



Front View



Side View



Rear View

UNIT:mm SCALE:1/3

Published on 2026/06/06

A&E specifications

Default home page station to the handsfree with echo cancellation.
10 Buttons, 4 programmable speed dial buttons, 2 function keys, talk priority button, delete button, call button (for announcement), answer key (for announcement), hold-down button, transfer button (manual call forwarding), redial.
Function call button for activation control output, call forwarding, Office transfer, time-based call forwarding, busy forwarding, background music.